

# CHAPTER 3a. INTRODUCTION TO NUMERICAL METHODS



• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering



by

Dr. Ibrahim A. Assakkaf

Spring 2001

**ENCE 203 - Computation Methods in Civil Engineering II**

Department of Civil and Environmental Engineering

University of Maryland, College Park

## Characteristics of Numerical Methods



• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

1. The solution procedure is iterative, with the accuracy of the estimated solution improving with each iteration.
2. The solution procedure provides only an approximation to true (exact), but unknown solution.
3. An initial estimate of the solution may be required.



## Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

4. The solution procedure is conceptually simple, with algorithms representing the solution procedure that can be easily programmed on a digital computer.
5. The solution procedure may occasionally diverge from rather converge to the true solution.



## Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

### ■ Example 1: Square Root

This example illustrates how to approach a solution for finding the square root of an arbitrary real number  $y$  using numerical methods.

$$f(y) = \sqrt{y}$$



# Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- The square root of any real number can be found using any computational aid such as a calculator or a spread sheet.
- On a calculator, you simply enter the number and then press  $\sqrt{\quad}$  key.
- On a spread sheet, the function SQRT is used.



# Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- Strategy
  - Let's assume an initial value of  $x_0$  for the square root.
  - Then  $x_0$  will be in error by unknown amount  $\Delta x$ .
  - If we know  $\Delta x$ , then

$$x_0 + \Delta x = \sqrt{y}$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

$$x_0 + \Delta x = \sqrt{y}$$

– If both sides of the above equation is squared, then

$$(x_0 + \Delta x)^2 = y$$

or

$$x_0^2 + 2x_0\Delta x + (\Delta x)^2 = y$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

$$x_0^2 + 2x_0\Delta x + (\Delta x)^2 = y$$

– If we assume that  $(\Delta x)^2$  is much smaller than  $\Delta x$ , then we have

$$\Delta x = \frac{y - x_0^2}{2x_0}$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- The value of  $\Delta x$  computed with the previous equation can be added to  $x_0$  to get a revised estimate of  $x$ .
- Thus the new estimate  $x_1$  of the true solution is given by

$$x_1 = x_0 + \Delta x$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- Generalizing the notation, we have

$$x_{i+1} = x_i + \Delta x \quad (1)$$

- where  $x_{i+1}$  and  $x_i$  are the estimates of  $x$  on trials  $i$  and  $i + 1$ , respectively, and

$$\Delta x = \frac{y - x_i^2}{2x_i} \quad (2)$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

– To illustrate the numerical use of Eqs. 1 and 2:

- Assume  $y = 150$
- We know that  $12^2 = 144$
- So  $x_0 = 12$ , which is a reasonable estimate
- Therefore, the first iteration is given by Eq.2 as

$$\Delta x = \frac{y - x_0^2}{2x_0} = \frac{150 - (12)^2}{2(12)} = 0.25$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- and by Eq. 1 as

$$x_{i+1} = x_i + \Delta x$$

$$x_1 = x_0 + \Delta x = 12 + 0.25 = 12.25$$

- A second iteration can now be applied in Eqs. 2 and 1 to give, respectively

$$\Delta x = \frac{y - x_1^2}{2x_1} = \frac{150 - (12.25)^2}{2(12.25)} = -0.00255$$

$$x_{i+1} = x_i + \Delta x$$

$$x_2 = x_1 + \Delta x = 12.25 - 0.00255 = 12.24745$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

- A third iteration, yields

$$\Delta x = \frac{y - x_2^2}{2x_2} = \frac{150 - (12.24745)^2}{2(12.24745)} = -1.28598 \times 10^{-6}$$

$$x_{i+1} = x_i + \Delta x$$

$$x_3 = x_2 + \Delta x = 12.24734 - 0.00000129 = 12.24744871$$

$$\text{True Value} = \sqrt{150} = 12.24744871$$

For 7 digits, the solution converges to true value in 3 iterations.



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 1 (cont'd): Square Root

$$\sqrt{y} = \sqrt{150}$$

<i>i</i>	$\Delta x$	<i>x</i>	<i>y</i>	True Value	ABS error
0	0.25	12.0000000	150	12.2474487	0.247448714
1	-0.003	12.2500000	150	12.2474487	0.002551286
2	-3E-07	12.2474490	150	12.2474487	2.65676E-07
3	-3E-15	12.2474487	150	12.2474487	3.55271E-15
4	0	12.2474487	150	12.2474487	0
5	0	12.2474487	150	12.2474487	0
6	0	12.2474487	150	12.2474487	0



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2: Root of a Polynomial

This example illustrates how to approach a solution for finding one root of a polynomial using numerical methods.

$$x^3 - 3x^2 - 6x + 8 = 0$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2 (cont'd): Root of a Polynomial

### – Strategy

- Dividing both sides of the equation by  $x$ , yields

$$x^2 - 3x - 6 + \frac{8}{x} = 0$$

- Solving for  $x$  using the  $x^2$  term, gives

$$x = \sqrt{3x + 6 - \frac{8}{x}} \quad (3)$$





# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2 (cont'd): Root of a Polynomial

– Eq. 3 can be solved iteratively as follows:

$$x_{i+1} = \sqrt{3x_i + 6 - \frac{8}{x_i}} \quad (4)$$

– If an initial value of 2 ( $x_0 = 2$ ) is assumed for  $x$ , then

$$x_1 = \sqrt{3x_0 + 6 - \frac{8}{x_0}} = \sqrt{3(2) + 6 - \frac{8}{2}} = 2.828427$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2 (cont'd): Root of a Polynomial

– Now  $x_1 = 2.828427$

– A second iteration will yield

$$x_2 = \sqrt{3x_1 + 6 - \frac{8}{x_1}} = \sqrt{3(2.828427) + 6 - \frac{8}{2.828427}} = 3.414213$$

– A third iteration results in

$$x_3 = \sqrt{3x_2 + 6 - \frac{8}{x_2}} = \sqrt{3(3.414213) + 6 - \frac{8}{3.414213}} = 3.728202$$



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2 (cont'd): Root of a Polynomial

- The results of 20 iteration are shown Table 1 of the next viewgraph.
- It is evident from the table that the solution converges to the true value of 4 after the the 20<sup>th</sup> iteration.



# Characteristics of Numerical Methods

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Example 2 (cont'd): Root of a Polynomial

Table 1

<i>i</i>	$x_i$	True Value	Abs Error	<i>i</i>	$x_i$	True Value	Abs Error
0	2	4	2	10	3.999127	4	0.000872759
1	2.828427	4	1.171572875	11	3.999618	4	0.000381862
2	3.414214	4	0.585786438	12	3.999833	4	0.000167071
3	3.728203	4	0.271797358	13	3.999927	4	7.30945E-05
4	3.877989	4	0.122010596	14	3.999968	4	3.1979E-05
5	3.946016	4	0.053983839	15	3.999986	4	1.39909E-05
6	3.976265	4	0.023734503	16	3.999994	4	6.12101E-06
7	3.989594	4	0.010406236	17	3.999997	4	2.67794E-06
8	3.995443	4	0.00455702	18	3.999999	4	1.1716E-06
9	3.998005	4	0.001994519	19	3.999999	4	5.12576E-07
				20	4	4	0



# Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- In view of Examples 1 and 2, we conclude that
  - The solution procedure is iterative, with the accuracy of the estimated solution improving with each iteration.
  - The solution procedure provides only an approximation to true (exact), but unknown solution



# Characteristics of Numerical Methods

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- An initial estimate of the solution may be required.
- The solution procedure is conceptually simple, with algorithms representing the solution procedure that can be easily programmed on a digital computer.



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias

An estimate of a parameter  $\theta$  made from sample statistic is said to be an unbiased estimate if the expected value of the sample quantity  $\hat{\theta}$  is  $\theta$ ; that is

$$E(\hat{\theta}) = \theta$$

The bias is defined as

$$[E(\hat{\theta}) - \theta]$$



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias

– Definition:

Bias is a systematic deviation of values from the true value




# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias

- Consider four experiments where each experiment is repeated six times.
- The following table shows the results of the four experiments:

	True (Population)	Exp. A	Exp. B	Exp. C	Exp D
Mean	15	15	24	7	14





# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias

- Experiment A is unbiased because its expected value (mean) equals the true mean.
- Experiments B, C, and D show varying degrees of bias.
- Experiment B has a positive bias of 9, whereas the bias of C and D are negative.
- Experiment B tends to overestimate  $\theta$ , while C and D tend to underestimate  $\theta$ .



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Precision

### – Definition:

Precision is defined as the ability of an estimator to give repeated estimates that are very close to each other.



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Precision

- Precision can be expressed in terms of the variance of the estimator.

	Precision
$\text{Var}(\theta) \uparrow$	Lack of precision
$\text{Var}(\theta) \downarrow$	High precision
$\text{Var}(\theta) = 0$	Absolute precision



# Accuracy, Precision, and Bias


A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Precision

- Consider four experiments where each experiment is repeated six times.
- The following table shows the results of the four experiments:

	Exp. A	Exp. B	Exp. C	Exp D
Var	1.6	1.6	10.6	6.8

Note: Variance is about the sample mean for each experiment



## Accuracy, Precision, and Bias



• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

### ■ Precision

- Experiment A and B show considerably more precision (i.e., they have lower variances).
- Experiment C has the largest variation, therefore, it is the least precise.
- Experiments A and B have the same level of variation, however, A is unbiased, whereas B is highly biased.





# Accuracy, Precision, and Bias

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Accuracy

### – Definition:

Accuracy is defined as the closeness or nearness of the measurements to the true or actual value of the quantity being measured.



# Accuracy, Precision, and Bias

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Accuracy

– Bias and Precision are considered elements of Accuracy.

$$\text{Bias} + \text{Precision} \Rightarrow \text{Accuracy}$$

– Inaccuracy can result from either a bias or a lack of precision.



# Accuracy, Precision, and Bias


A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Accuracy

- Consider four experiments where each experiment is repeated six times.
- The following table shows the results of the four experiments:

	Exp. A	Exp. B	Exp. C	Exp D
Var	1.6	98.8	87.6	8.0

Note: Variance is about the true mean of the population (i.e., 15)





# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias, Precision, and Accuracy


- Consider the four dartboards of the following figure.
- Assuming that these shooting at the targets were aiming at the center, the person shooting at target A was successful.



# Accuracy, Precision, and Bias

## Bias, Precision, and Accuracy

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering





# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias, Precision, and Accuracy

- The holes in target B are similarly clustered as in target B, but they show large deviation from the center.
- The holes in target C are very different in character from the holes in either target A or B.
- They are not near the center, and they are not near each other.



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias, Precision, and Accuracy


- The holes in target A and B show a measure of precision, therefore, the shooters were precise.
- The shooters of targets C and D were imprecise since the holes show a lot of scatter.
- The holes in targets B and D are consistently to the left, that is, there is a systematic distortion of the hole with respect to the center of the target.



# Accuracy, Precision, and Bias

## Bias, Precision, and Accuracy

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering



ENCE 203 – CHAPTER 3a. INTRODUCTION TO NUMERICAL METHODS

© Assakkaf  
Slide No. 40



# Accuracy, Precision, and Bias

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

## ■ Bias, Precision, and Accuracy

- The holes in targets B and D show a systematic deviation to the left.
- Targets A and C are considered to *unbiased* because there is no systematic deviation.
- In the figure, accuracy increases as precision increases, therefore, the shooter of target A is the most accurate.

ENCE 203 – CHAPTER 3a. INTRODUCTION TO NUMERICAL METHODS

© Assakkaf  
Slide No. 41