

CHAPTER 4f. ROOTS OF EQUATIONS



• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering



by

Dr. Ibrahim A. Assakkaf

Spring 2001

ENCE 203 - Computation Methods in Civil Engineering II

Department of Civil and Environmental Engineering

University of Maryland, College Park

Multiple Roots



• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- The following figure shows a case of multiple roots, where the function $f(x)$ is tangent to the x axis.
- This case corresponds to having two roots of the same value and sign




Multiple Roots

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Double Roots

$$f(x) = x^2 - 2x + 1 = (x - 1)^2$$



ENCE 203 – CHAPTER 4f. ROOTS OF EQUATIONS

© Assakkaf
Slide No. 186



Multiple Roots

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- In general, there can be triple, quadruple, . . . , or multiple roots for a function $f(x)$.
- It can be shown that even roots result in tangent $f(x)$ to the x axis, whereas odd multiple roots result in a function $f(x)$ that crosses the x axis with inflection point at the root.

ENCE 203 – CHAPTER 4f. ROOTS OF EQUATIONS

© Assakkaf
Slide No. 187



Multiple Roots

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- That is, a point where the function changes curvature.
- Example:
 - The following function has triple roots:

$$\begin{aligned}f(x) &= x^4 - 8x^3 + 18x^2 - 16x + 5 \\ &= (x-1)(x-1)(x-1)(x-5)\end{aligned}$$



Multiple Roots

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering


$$\begin{aligned}f(x) &= x^4 - 8x^3 + 18x^2 - 16x + 5 \\ &= (x-1)(x-1)(x-1)(x-5)\end{aligned}$$

- This function has triple roots ($x = 1$) and one root ($x = 5$) as shown in the following figure.
- The figure shows the inflection point at $x = 1$ that result in $f(x) = 0$

Multiple Roots



A. J. Clark School of Engineering • Department of Civil and Environmental Engineering



$$f(x) = x^4 - 8x^3 + 18x^2 - 16x + 5$$

ENCE 203 – CHAPTER 4f. ROOTS OF EQUATIONS

© Assakkaf
Slide No. 190

Multiple Roots



A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Problems with Multiple Roots

- Multiple roots pose difficulties for the methods discussed so far.
- The bisection method has difficulties with multiple roots because the function does not change sign at even multiple roots.
- The Newton-Raphson and secant methods have difficulties because the derivative at a multiple root is zero.

ENCE 203 – CHAPTER 4f. ROOTS OF EQUATIONS

© Assakkaf
Slide No. 191



Multiple Roots

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Problems with Multiple Roots

- Since $f(x)$ reaches zero at a faster rate than $f'(x)$ as x approaches the multiple root, it is impossible to check for the condition $f'(x) = 0$ and terminate the computations before $f(x) = 0$.



Systems of Nonlinear Equations

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

- The methods introduced so far for finding the roots of a function deal with single-variable equations of the type $f(x) = 0$.
- Some engineering problems have two or more variables for which the roots are needed.



Systems of Nonlinear Equations

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Two-Variable Problem

- For two-variable problems, the function has the form

$$f_i(x, y) = 0$$

where the subscript i denotes the equation number, and both x and y are independent variables



Systems of Nonlinear Equations

• A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Example

The following is an example of a two-variable system of equations:

$$x^3 - 3x^2 + xy = 0$$

$$4x^2 - 4xy^2 + 3y^2 = 0$$

The methods used for single-variable cannot be applied directly to find the values of x and y .



Systems of Nonlinear Equations

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Example (cont'd)

$$x^3 - 3x^2 + xy = 0$$

$$4x^2 - 4xy^2 + 3y^2 = 0$$

The equations can be solved for x and y as follows:

$$x = (3x^2 - xy)^{1/3}$$

$$y = \sqrt{\left(\frac{4x^2 + 3y^2}{4x}\right)}$$



Systems of Nonlinear Equations

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Example (cont'd)

Using initial guesses: $x = 3$ and $y = 3$, we have

$$x = [3(3)^2 - (3)(3)]^{1/3} = 2.621$$

$$\begin{aligned} x &= (3x^2 - xy)^{1/3} \\ y &= \sqrt{\left(\frac{4x^2 + 3y^2}{4x}\right)} \end{aligned}$$

Using $x = 2.621$ and $y = 3$ in the second equation, gives

$$y = \sqrt{\frac{4(2.621)^2 + 2(3)^2}{4(2.621)}} = 2.280$$



Systems of Nonlinear Equations

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Example (cont'd)

For the second iteration:

- Use $x = 2.621$ and $y = 2.280$, therefore

$$x = [3(2.621)^2 - (2.621)(2.280)]^{1/3} = 2.446$$

- Use $x = 2.446$ and $y = 2.280$, therefore

$$y = \sqrt{\frac{4(2.446)^2 + 3(2.280)^2}{4(2.446)}} = 2.010$$

$$x = (3x^2 - xy)^{1/3}$$
$$y = \sqrt{\frac{4x^2 + 3y^2}{4x}}$$



Systems of Nonlinear Equations

A. J. Clark School of Engineering • Department of Civil and Environmental Engineering

■ Example (cont'd)

The solution will eventually converge to the following roots (see Table 4-9 of Textbook):

$$x = 2.16$$

$$y = 1.82$$